

Pre-Procedure Anticoagulation Information Sheet #1
(HIGH Risk)

<u>Procedures:</u>	
TL CESI (Cervical Interlaminar ESI)	TF CESI (Cervical TFESI/SNRB)
Ganglion block (Stellate, Impar, and Celiac)	Dorsal root ganglion (DRG) trial and implant
Spinal cord stimulation (SCS) trial and implant	Peripheral Nerve Stimulator (PNS)
SI joint FUSION	Kyphoplasty
Intracept M.I.L.D.	Vertiflex
Medication taken:	Hold for:
Angiomax (bivalirudin)	14 days
Novastin (argatroban)	14 days
Daypro (oxaprozin)	10 days
Feldene (piroxicam)	10 days
Effient (prasugrel)	7 days
Plavix (clopidogrel)	7 days
Trental (pentoxifylline)	7 days
Vascepa (icosapent)	7 days
<u>Supplements</u> : Vitamin E, Omega 3, AREDS, Ginko, Garlic, Ginseng, Fish oil, krill oil, flax seed oil, AZO cranberry, pumpkin seed oil, CBD oil, Turmeric, Nattokinase, all other supplements	7 days
Aggrenox (aspirin/dipyridamole)	6 days
Aspirin (no clearance if OTC, includes Excedrin, Goody powdr, etc)	6 days
Bevyxxa (betrixaban)	6 days
Relafen (nabumetone)	6 days
Brilinta, Brilique, Possia (ticagrelor)	5 days
Coumadin (warfarin)	5 days
Elmiron (pentosan)	5 days
ReoPro (abiximab)	5 days
Ticlid (ticlopidine)	5 days
Aleve, Anaprox, Naprosyn, (naproxen)	4 days
Sulindac (Clinoril)	4 days
Arixtra (fondaparinux)	4 days
Mobic (meloxicam)	4 days
Pradaxa (dabigatran)	4 days (**6 days with CKD)
Agrylin (anagrelide)	3 days
Eliquis (apixaban)	3 days
Savaysa (edoxaban)	3 days
Xarelto (rivaroxaban)	3 days
Indocin (indomethacin)	2 days
Lodine (etodolac)	2 days
Persantine (dipyridamole)	2 days
Pletal (cilostazol)	2 days
Aggrastat (tirofiban)	24 hours
Fragmin (dalteparin)	24 hours
Integrilin (eptifibatide)	24 hours
Lovenox (enoxaparin)	24 hours
Motrin, Advil, Duexis (ibuprofen)	24 hours
Toradol (ketorolac)	24 hours
Voltaren, Zorvelox, Arthrotec, Zipsor (diclofenac)	24 hours
Nalfon, Fenortho (fenopropfen)	24 hours
heparin: full dose SQ	24 hours
heparin: IV infusion (**Dialysis)	6 hours
**With the exception of Spinal Cord Stimulator Trials, you may resume your medication(s) 12-24 hours after your procedure.	

If you are currently taking any anticoagulant/blood thinner that is not on this list, please inform Lanier Interventional Pain Center so we can advise if you need to discontinue prior to your procedure.